



Callington



**CHEMICAL SOLUTIONS FOR MAINTENANCE,
ENGINEERING AND FABRICATION INDUSTRIES**

2021



CONTENTS

- 2.** About Us
- 3.** Global Head Office
- 4.** Metalworking Fluids
- 7.** Stainless Steel Treatment
- 9.** Metal Cleaning Products
- 10.** Welding Products
- 12.** Corrosion Protection and Zinc Rich Surface Coatings
- 14.** Non-Destructive Testing (NDT)
- 17.** Paint Strippers
- 18.** COVID-19 Outbreak Solutions
- 21.** Global Support

ABOUT US

Callington is a family operated business and has been since 1968, specialising in the development, manufacture, and marketing of innovative, specialty chemical solutions to the aviation, metalworking, welding metal treatment, industrial, fuel additive, and non-destructive testing industries.

We have operations in Australia, the USA, Europe, the Middle East, Africa, Asia, and South America.

Callington is a 100% Australian owned OEM company maintaining accreditation as an Australian Trusted Trader and ISO 9001 certified company whose products comply with international specifications and approvals, including Boeing, Airbus, McDonnell Douglas, and military specifications.

With offices, warehouses and **R&D facilities** we provide our partners;

- Quicker response times
- Faster deliveries and stock availability
- Latest technology: regulatory compliance
- Sustainable and environmentally friendly solutions



GLOBAL HEAD OFFICE

- Global Head Office is located in Sydney, Australia.
- 5,000m² office including R&D, manufacturing and warehousing.
- Supplying maintenance, engineering, and fabrication products across Australia, New Zealand, and global markets.



Global Head Office, Sydney Australia



Warehouse Facility - Dual entry



METALWORKING FLUIDS

A complete range of metal cutting fluids



ECO-TAP LIQUID

DRILL/TAP/CUT

Can be applied straight to the cutting operation using the soft squeeze bottle

- Designed for difficult machining operations on metals such as stainless steel alloys, titanium, and nickel alloys
- Excellent corrosion protection even in hard water conditions
- Mineral oil-free, baron free, oil rejecting synthetic metalworking coolant

Item Code	Packaging
7400/500	500ml Squeeze Bottle
7400/42	5L
7400/52	20L



ECO-TAP SPRAY

DRILL/TAP/CUT

Eco-Tap Spray penetrates quickly, ensuring lubrication at the cutting edge

- Extends tool life and improves cutting
- Penetrates well into deep holes and slots
- Fast and convenient controlled application
- Mineral oil-free, baron free, oil rejecting synthetic metalworking coolant

Item Code	Packaging
7402/300/AER	300g Aerosol



SYN 990		
General Purpose Synthetic Metalworking Coolant		
Multi-metal machining capability	Item Code	Packaging
<ul style="list-style-type: none"> Optimised lubricity additives and detergency Designed for grinding light to medium duty machining of cast iron, ferrous alloys, aluminium alloys, and copper alloys Excellent anti-corrosion properties to protect machine tools and components Excellent wetting properties reduce "drag out" and product usage 	7170/30	1L
	7170/42	5L
	7170/51	20L
	7170/64	200L



AL 1500		
Premium Semi Synthetic Metalworking Coolant		
Designed for the machining of aluminium and aluminium alloys	Item Code	Packaging
<ul style="list-style-type: none"> Excellent surface finish and extended tool life Can be used on both aluminium and ferrous materials Exceptional product stability and long coolant life Low foaming characteristics even in modern high-pressure machines 	7460/51	20L
	7460/51	200L



GX 360		
High Performance EP Semi Synthetic Metalworking Coolant		
One product for multi-metal machining operations	Item Code	Packaging
<ul style="list-style-type: none"> Excellent coolant stability minimises rejects, and improved machine cleanliness Able to tolerate high tramp oil contamination Resistant to bacterial attacks, providing longer service life and lower coolant cost 	7486/51	20L
	7486/64/AU	200L



SYN 30		
General Purpose Synthetic Metalworking Coolant		
Designed for various grinding machining applications	Item Code	Packaging
<ul style="list-style-type: none"> Excellent stability and resistance to microbial growth Mineral oil, chlorine, phenol, and nitrite-free Excellent corrosion protection even in hard water conditions 	7120/51	20L

Material	Low Si Aluminium	High Si Aluminium	Aluminium Alloys	Low Alloy Steels	Copper Alloy	High Alloy Steels	Cast Iron	Low Carbon/High Carbon Steel	Stainless Steel	Titanium	Nickel Alloys
Operation											
Grinding	GX360/AL1500	GX360/AL1500	SYN990	SYN30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Honing			SYN990	SYN30	SYN990	SYN30	SYN30	SYN30	Eco Tap	Eco Tap	Eco Tap
Turning	GX360/AL1500	GX360/AL1500	SYN990	SYN30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Boring			SYN990	SYN30	SYN990	SYN30	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Milling	GX360	GX360	SYN990	30/GX360	SYN990	SYN30/GX360	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Drilling	GX360/AL1500	GX360/AL1500	SYN990	30/GX360/AL1500	SYN990	30/GX360/AL1500	SYN30/SYN990	SYN30	Eco Tap	Eco Tap	Eco Tap
Reaming	GX360/AL1500	GX360/AL1500		GX360/AL1500		GX360/AL1500					
Screw Cutting			SYN990		SYN990		SYN990				
Threading	GX360	GX360		GX360		GX360					
Tapping	GX360/AL1500	GX360/AL1500	SYN990	GX360/AL1500	SYN990	GX360/AL1500	SYN990		Eco Tap	Eco Tap	Eco Tap
Sawing			SYN990		SYN990		SYN990				
Heavy Duty Milling	AL1500	AL1500		AL1500		AL1500					
Deep Hole Drilling									Eco Tap	Eco Tap	Eco Tap
Broaching	GX360/AL1500	GX360/AL1500		GX360		GX360					



STAINLESS STEEL TREATMENT

Callington's S-Weld range meets the needs of stainless fabricators, with proven products for pre and post-welding surface treatments of stainless steel, ranging from brushable gels to sprayable liquids. We have the complete range for pickling and passivation processes.



S-WELD CLEAN

Thickened Pickling Gel for Stainless Steel

Removes the black oxide scale burn marks and heat tint caused during welding on the stainless steel

- Conforms to ASTM A380 standard practices
- One step treatment for easy application
- Completely water rinseable allowing no time loss for extra cleaning
- Removes black welding scale, discolouration and corrosion on stainless steel

Item Code	Packaging
1100/30	12 units x 1kg
1100/78	6 units x 2.5kgs
1100/51	23kgs



S-WELD SPS

Pickling Spray Solution

Restores stainless steel and brings it back to looking brand new again, great for refurb

- Conforms to ASTM A380-17
- Quick acting formulation, one step treatment
- Leaves no residual film after rinsing
- Completely water rinsible

Item Code	Packaging
1108/45	10L



S-WELD CLEAN PICKLING BRUSHES		
<p>The pickling agent will cause the metal band to dissolve before your eyes. It will contaminate the pickling product and transfer it to the stainless steel.</p> <ul style="list-style-type: none"> Designed for use with Pickling Agents Designed to be used with acids It has no metal band like a normal paint brush 	Item Code	Packaging
	24.012	Each



STEEL BRIGHT LIQUID		
Stainless Steel Pickling Solution		
<p>Used to remove weld scale or rust and brighten stainless steels</p> <ul style="list-style-type: none"> Conforms to ASTM A380 standard practices Leaves no residual film after rinsing Completely water rinsible 	Item Code	Packaging
	1110/51 1110/64	20L 200L



S-WELD PASSIVATING GEL		
For the Passivation of Stainless Steel		
<p>Conforms to ASTM A380 and ASTM A967 Passivation Treatments</p> <ul style="list-style-type: none"> Gel consistency for ease of application Enhancement of chrome oxide corrosion resistant (passive) layer Dissolves any residual surface contamination 	Item Code	Packaging
	1130/78	6 x 2.5kg bottles



S-WELD PASSIVATING SOLUTION		
Powerful Oxidising Solution for the Passivation of Stainless Steel		
<p>Conforms to ASTM A380 and ASTM A967 Passivation Treatments</p> <ul style="list-style-type: none"> Dissolves any residual surface contamination Ease of application when passivating small parts, ensuring all areas are reached Enhancement of chrome oxide corrosion resistant (passive) layer 	Item Code	Packaging
	1131/51 1131/64	20L 200L



S-WELD CLEAN NEUTRALISER		
Neutralising Solution for Acidic Pickling Paste		
<p>Alkaline solution for the neutralisation of acidic pickling waste</p> <ul style="list-style-type: none"> Colour change indicates neutralisation of acidic waste and pH change, therefore waste can be discarded Provides protection in environmentally sensitive areas such as tiled or painted surfaces, if used as a surface coating Can be used in a spray pack as a test method to ensure all surfaces have been washed down and all acid removed 	Item Code	Packaging
	1150/42 1150/51 1150/64	5L 20L 200L



METAL CLEANING PRODUCTS

Callington's Aluminium and Stainless Steel surface treatment products are designed to enhance new fabricated surfaces, restore old surfaces and remove corrosion.



META-BRITE

Metal Brightener & Stainless Steel Cleaner

Restores old aluminium surfaces by removing oxidation caused by age, weathering and neglect.

- Restores the original lustre back into the metal
- Quick acting
- Very effective in removing road grime and dust

Item Code	Packaging
1301/30	1L
1301/42	5L
1301/51	20L
1301/64	200L



ALBRIGHT

Acidic Aluminium Brightener & Cleaner

A powerful acidic detergent designed to quickly remove atmospheric corrosion, road grime and soils from all aluminium surfaces

- Restores the original lustre to the metal
- Leaves no residual film after rinsing, reducing post weld surface preparation
- Concentrated cleaner making it very economical to use on large scale projects
- Readily rinsible with water, for easy mixing

Item Code	Packaging
1300/30	1L
1300/42	5L
1300/51	20L
1300/64	200L



S-WELD BRITE WASH

Stainless Steel Cleaner

Removes surface dust, soil, rust, water stains, iron and organic contamination

- Leaves no residue
- Readily miscible with water
- Wide dilution rate – gives a variety of uses

Item Code	Packaging
1205/42	4 units x 5L
1205/51	20L
1205/64	200L



WELDING PRODUCTS

We have products for the professional fabricator to the DIY man. Our Callington welding range covers anti-spatter products, welding torch coolants, and weld cleaning fluids. We have a range of anti-spatter products that are environmentally friendly, water-based products to the traditional solvent-based aerosol products engineered to work on welded metal surfaces to provide protection from molten weld spatter.



S-WELD SPATTER GUARD		
Anti-Spatter Aerosol Spray		
	Item Code	Packaging
<p>Non-flammable agent for the prevention of weld-spatter adhering to metal surfaces during the welding process</p> <ul style="list-style-type: none"> • Provides spatter protection for Mig torch components, jig, fixtures and parent metal • Non-flammable & silicone free • Improves productivity, which means less post rework and less clean ups 	1450/454	12 x 454g Aerosol Cans



CALGUARD ANTI-SPATTER AEROSOL		
Water-Based Aerosol Weld Spatter Agent		
	Item Code	Packaging
<ul style="list-style-type: none"> • Non-toxic & water based, making it user safe • Ozone safe, making it environmentally friendly • Non-flammable, making it workshop safe • For MIG & electrode welding • Non-flammable & Biodegradable, easy waste disposal 	1400/400	12 X 400ml Aerosol Cans



CALGUARD ANTI-SPATTER SPRAY		
Water-Based Calguard Anti-Spatter Spray		
<p>Eliminates spatter build up which results in poor gas flow causing pitting, porosity and costly rework</p> <ul style="list-style-type: none"> • Non-toxic & water based, making it user safe • Ozone safe, making it environmentally friendly • Non-flammable, making it workshop safe • For MIG & Electrode welding 	Item Code	Packaging
	1400/28	12 x 750ml Trigger Spray Bottles
	1400/42	4 units x 5L
	1400/51	20L
	1400/64	200L



CALGUARD NOZZLE DIP GEL		
Prevents Spatter Adhering to Sensitive Components		
<ul style="list-style-type: none"> • Non-toxic, making it user friendly • Controlled usage, allowing for no wastage • Silicone free – paintable 	Item Code	Packaging
	1460/400	12 units x 400g



WELDCOOL		
Welding System and Torch Coolant		
<p>Will extend the life of pumps, seals, gaskets and prevent costly downtime</p> <ul style="list-style-type: none"> • Suitable for MIG, TIG, Laser & Plasma cooling systems • Extends life of pumps, seals and gaskets which prevents costly downtime on equipment • Non-flammable, low viscosity and low toxicity • Contains corrosion inhibitors to prevent build-up of rust and extends the life of cooling systems components 	Item Code	Packaging
	1490/42	4 units x 5L



ELECTRO-CHEM FLUID		
Stainless Cleaning Fluid for Electronic Cleaning Machines		
<p>Electro-Chem is suitable for use on the following welding methods: Spot Welding, TIG Welding, Plasma Welding Laser Resistance Welding, Orbital Welding</p> <ul style="list-style-type: none"> • Works with many brands of TIG/ brush cleaners • Non-flammable, making it workshop safe • Fast acting, cleans and passivates • Suitable for stainless steel and similar metals 	Item Code	Packaging
	1920/42	4 units x 5L



CORROSION PROTECTION AND ZINC RICH SURFACE COATINGS



Our Silver Zinc Guard range has a product for every application:

- **Silver Zinc Guard Match** is for fast touch-ups on galvanised surfaces and is a great topcoat for Silver Zinc Guard Rich. The finish is a hot dip gal appearance.
- **Silver Zinc Guard Protect** is 65% zinc rich in dry film to give long lasting corrosion protection on new or old surfaces. It is excellent for rework finishing and can be used as a topcoat for Silver Zinc Guard Rich. Hot dip gal appearance.
- **Silver Zinc Guard Rich** is 93% zinc in dry film the ultimate zinc rich coating for sustained protection. Transformed quickly to hot dip gal finish with a topcoat cover of Silver Zinc Guard Match or Protect.




SILVER ZINC GUARD MATCH		
Bright Silver Zinc Gal Paint		
	Item Code	Packaging
Excellent Topcoat Finish <ul style="list-style-type: none"> • Perfect match to hot dip galvanising • 2-in-1 formula to protect and match in one easy step • Superior adhesion properties, allowing for long term protection • 98% zinc purity • Ready to use aerosol with no additional mixing or additives required 	1481M/400	12 x 400g Aerosol



SILVER ZINC GUARD PROTECT		
High Performance Zinc Coating for Long Lasting Corrosion Resistance		
	Item Code	Packaging
Long Lasting Corrosion Resistance <ul style="list-style-type: none"> • Complies to ASTM A780/A780M* - 65% zinc in dry film • Superior adhesion properties, allowing for long term protection • 98% zinc purity 	1481P/400	12 x 400g Aerosol



SILVER ZINC GUARD RICH		
Maximum Cold Galvanising Rust and Corrosion Protection		
	Item Code	Packaging
Rust & Corrosion Protection <ul style="list-style-type: none"> • Exceeds ASTM A780/A780M* (93% zinc in dry film) • High % of zinc content, providing maximum protection • 98% zinc purity • Superior adhesion properties, allowing for long term protection • Complies to AS/NZS 3750.9 	1481R/400	12 x 400g Aerosol



NON-DESTRUCTIVE TESTING (NDT)

Callington manufacture globally approved Non-Destructive Testing technology that can be combined with products & services offering industry inspection solutions.

Penetrant Technology

- Simple 3 step process
- Used to locate cracks, laps, pores, lack of bonding, and similar surface flaws
- Globally approved for Aerospace, Food, Health, Marine and Rail industries
- Suitable for all metals as well as plastics and ceramics



Magnetic Particle Technology

- Coloured magnetic particles allow for maximum contrast
- Used with ferromagnetic materials
- Ideal for all industry applications
- Allows for rapid inspection processes

PENETRANT TECHNOLOGY



DUBL-CHEK DP-50			
Water Washable Solvent Removable Penetrant			
<p>DP-50 can be used on nonporous parts including both ferrous and nonferrous metals, ceramics, glass and some plastics</p> <ul style="list-style-type: none"> • Brings flaws into sharper, clearer focus with more intense colour • Performs more reliably over a greater range of temperatures • DP-50 meets stringent low sulfur and chloride requirements • Long lasting flaw mark indications; less fading 	Certification	Item Code	Packaging
	<p>SAE AMS 2644 QPL – Type 1, Method B & D, Level 3 MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V AS 2062</p>	1492/400	400ml (Aerosol)



DUBL-CHEK DR-60			
Penetrant Cleaner & Remover			
<p>Used to clean away contaminants and remove excess penetrant from part surfaces</p> <ul style="list-style-type: none"> • Can be used as a pre-cleaner for penetrant inspection evaporates completely and rapidly • Relatively volatile • Non miscible in water 	Certification	Item Code	Packaging
	<p>QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644</p>	1487/400	400ml (Aerosol)



DUBL-CHEK D-100			
Non-Aqueous Developer			
<p>Refined white particles give thin, more uniform layer</p> <ul style="list-style-type: none"> • Lays on the surface in a thinner, more uniform, more absorbent coating • Has superior suspension properties • It is easily removed by light brushing or spray water rinse • Works well on smooth or rough surfaces 	Certification	Item Code	Packaging
	<p>QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644</p>	1488/400	400ml (Aerosol)



DUBL-CHEK DR-64			
Multipurpose Cleaner & Remover			
<p>Can be used in the penetrant process to remove excess penetrant from part surfaces.</p> <ul style="list-style-type: none"> • Every aerosol contains a direct spray tube for easy removal of white contrast paint • Can be used as a pre-cleaner for penetrant inspection evaporates completely and rapidly • Can be used in the penetrant and magnetic particle inspection process 	Certification	Item Code	Packaging
	<p>QPL-AMS-2644 listing MIL-I-25135 Revisions C, D & E ASME Code NDT, Sec V SAE AMS 2644</p>	1505/400	400ml (Aerosol)



HM-604			
Water Washable Fluorescent Penetrant			
Level 3, Method A & C, Water Washable, Fluorescent Penetrants	Certification	Item Code	Packaging
<ul style="list-style-type: none"> • Low to near zero background for assured indication visibility • Sharp, precise flaw indication for rapid interpretation • Low material consumption (low drag out) due to low viscosity 	SAE AMS 2644 QPL MIL-I-25135 ASME Code NDT, Sec V	1496/400/AU	400ml (Aerosol)

MAGNETIC PARTICLES



DUBL-CHEK CP-2			
White Contrast Paint			
Enhances the visibility of indications under visible light conditions	Certification	Item Code	Packaging
<ul style="list-style-type: none"> • A unique 360° spray valve • High contrast, fast drying and low odour • Multiple spray patterns for controlled application and comfort • Solvent removable 	ASME Boiler Pressure Vessel Code Section V ASTM E709 ASTM E1444 AS 1171	1504/400/AU	400ml (Aerosol)



DUBL-CHEK B0-1			
Visible Black Magnetic Particle			
Particles rapidly collect at leakage fields producing black indications	Certification	Item Code	Packaging
<ul style="list-style-type: none"> • A unique 360° spray valve • Low background colour for high contrast indication visibility • Multiple spray patterns for controlled application and comfort • Can be used with both stationary and portable magnetic test equipment 	ASTM E1444 ASME B&PV Sec V ASTM E709 ISO 9934-2 MIL-STD-271 NAVSEA T9074-AS- GIB-010/271 MILSTD-1949 AMS 3041 AMS 3043 AMS 2641	1503/400	400ml (Aerosol)



DUBL-CHEK GLO-NETIC			
Fluorescent Green Magnetic Particle			
GW-1 Fluorescent Magnetic Particle oil	Certification	Item Code	Packaging
<ul style="list-style-type: none"> • A 360° valve that enables an aerosol to be sprayed upside down • Low background colour for assured indication visibility • Particles are easily agitated, fast acting and produce defined indications 	MIL-STD-1949 MIL-STD-271(SH) NAVSEA 2501-1500-1 ASTM E 709 ASTM B & PV Code - Section V AMS 3044 AMS 3045 AMS 3161 AMS 2641 DOD-F-87935	1530/400	400ml (Aerosol)



PAINT STRIPPERS

We are Australia's largest producer of paint strippers, and our range includes the traditional Methylene Chloride and Phenol based strippers as well as more environmentally safe paint strippers.



PROFESSIONAL GRADE PAINT STRIPPER		
Solvent-Based, Non-Caustic Paint Stripper		
<p>Can be used to remove most commonly used paints, lacquers and varnishes from timber, metal, glass, brickwork, cement and plaster</p> <ul style="list-style-type: none"> • Suitable for household, marine and Industrial applications • Solvent based, non-caustic formulation 	Item Code	Packaging
	6000/30	1L
	6000/39	4L
	6000/51	20L
	6000/64	200L



CH8930		
Non-Flammable Phenolic Paint Stripper		
<p>Thickened non-flammable, neutral phenolic paint stripper for the removal of epoxy, polyurethane and other chemically resistant coatings</p> <ul style="list-style-type: none"> • Non-corrosive to aluminium, cadmium and high strength steel • Slow evaporation rate which allows for extended working life • Removes 2 pack epoxy and PU coatings, including primer and base coats • Complies to Aircraft Specifications and suitable for Automotive applications 	Item Code	Packaging
	6600/39	4L
	6600/51	20L
	6600/64	200L



ENVIRO STRIP		
Eco Friendly Paint Remover		
<p>Suitable for all DIYers as well as professionals</p> <ul style="list-style-type: none"> • Does not contain methylene chloride, NMP, phenols, amines, nitrites or chromates • Can be used indoors and outdoors, it is effective against acrylics, enamels, epoxies and other single-component coatings • Removes multiple layers in one application • Water based, 100% biodegradable formulation 	Item Code	Packaging
	6022/42	5L
	6022/51	20L

COVID-19 disinfection. For everyone. Everywhere.

Offering world class outbreak solutions for a global pandemic,

Sold across
90
countries
worldwide*



COVID-19 OUTBREAKS SOLUTION

Callington provides a range of COVID-19 outbreak solutions including broad spectrum disinfectants, to cleaning and personal protection products, which help to eliminate a wide range of microorganisms including viruses, bacteria, and fungus. Our powerful hospital grade disinfectant cleaners can be used on most plastics, composites, and fabrics, while our personal products include disinfectant wipes and anti-bacterial hand gels which are helping to assist workers to practice effective personal hygiene.



NETBIOKEM DSAM+

Hospital Grade Disinfectant Cleaner

Water based ready to use 2-in-1 high performance disinfectant cleaner for all hard surfaces

- Kills 99.99% of most harmful bacteria, fungi, mycobacteria and viruses
- Australian TGA listed for COVID-19 claim (ARTG No.355810)
- Kills SARS-CoV-2 (COVID-19) virus in 2 minutes, Norovirus, Poliovirus, Adenovirus, Influenza A (H1N1), Proteus vulgaris, Murine hepatitis, Enterococcus hirae, Pseudomonas aeruginosa, Salmonella choleraesuis, Staphylococcus aureus (Golden Staph)

Item Code	Packaging
9192/25	500ml
9192/42	5L
9192/51	20L

NETBIOKEM SINGLE SHOT SANITISER

Non-Flammable Room Sanitiser

- Non-flammable and non-toxic aerosol
- Formulated with natural anti-bacterial ingredients
- Kills 99.9% of bacteria fast
- Single-use, full release, super fine fog - no wipe down required

Item Code	Packaging
9189/150	24 units x 150g

KI-OSE 320

Communication System Cleaner & Disinfectant



Specially developed for efficient disinfection and cleaning. Safe to use on plastics, fabrics, metals, rubber, or other surfaces.

Cleans and Disinfects:

- Telephones
- Headphones
- Oxygen Masks
- Ear Muffs
- Computer Screens
- Respiratory Masks
- Safety Glasses

Item Code	Packaging
-----------	-----------

9174/005	Single wipe
----------	-------------

KI-OSE 350

Commercial Grade Disinfectant Cleaner



Kills COVID-19 in 5 minutes

- Conforms to Virucidal Effectiveness European Standard EN 14476*
- Kills 99.99% of most harmful bacteria, fungi and viruses
- TGA listed for COVID-19 claim (ARTG No.336973) Australian TGA listed for COVID-19 claim (ARTG No.355810)
- Kills SARS-CoV-2 (COVID-19) virus in 5 minutes, Murine hepatitis, Pseudomonas aeruginosa, Staphylococcus aureus (Golden Staph), Murine norovirus, Influenza A (H1N1), Escherichia coli (E coli), Enterococcus hirae, Proteus vulgaris

Item Code	Packaging
-----------	-----------

9183/25/AU	500ml
9183/42/AU	5L
9183/51/AU	20L

KI-OSE 395+

Hospital Grade Disinfectant Wipes for Surfaces



Kills COVID-19 in 5 minutes

- Australian TGA listed for COVID-19 claim (ARTG No.369632)
- Kills SARS-CoV-2 (COVID-19), Adenovirus, Murine Norovirus, Murine Hepatitis, Influenza A (H1N1), Pseudomonas aeruginosa, Escherichia coli (E. coli), Staphylococcus aureus (Golden Staph), Proteus vulgaris
- 160 x 200 mm non-woven spunlace wipe
- Ready to use travel pack of 30 wipes

Item Code	Packaging
-----------	-----------

9170/005	Single wipe
9170/30/AU	96 x 30 wipes/pack

NOVOGEL AB

Antibacterial Hand Gel



- Kills 99.99% of germs fast
- No rinsing required
- Includes Aloe Vera skin moisturisers
- pH balanced and protects the skin from dryness and irritation
- Formulated to meet the infection control guidelines recommended by both the World Health Organisation and the US Centers for Disease Control

Item Code	Packaging
-----------	-----------

9024/050/LQ	250 x 50ml per carton
9024/16/LQ	12 x 236ml per carton
9024/25/LQ	12 x 500ml per carton
9024/42	4 x 5L per carton
9024/51	4 x 20L per carton



CORDLESS ELECTROSTATIC BACKPACK SPRAYER

Patented Spraying Technology

- Patented electrostatic (double) charge penetrates chemical providing a thin even spray pattern on all surfaces
- Approved for use with all Callington COVID-19 disinfectants
- Removable easy fill tank holds 8.5 litres of chemical
- 4 hours run time on a single charge

Item Code	Packaging
VP300ESK	Each



CORDLESS ELECTROSTATIC HANDHELD SPRAYER

Patented Spraying Technology

- Patented electrostatic (double) charge penetrates chemical providing a thin even spray pattern on all surfaces
- Approved for use with all Callington COVID-19 disinfectants
- Weighs only 2.7kg with a full tank
- 4 hours run time on a single charge

Item Code	Packaging
VP200ESK	Each



BIOHAZARD SPILL KIT

Versatile Spill Cleaning Kit

- Designed for single use application
- Packed in tamper proof plastic for added security
- Contents: Ki-ose 3-in-1 spray (30ml), Absorbent granules, Face/eye mask (combined), Absorbent cloth, Long sleeve protective apron, Scoop and scraper, Alcohol wipes, Bio-hazard waste bag (with tie), Disposable nitrile gloves, Instructional leaflet

Item Code	Packaging
4852/PREKIT	48 x kits per carton

GLOBAL SUPPORT



HEAD OFFICE: Sydney, Australia



MANUFACTURING SITES: Florida, Paris, Tunis, Chennai, Kuala Lumpur, Bangkok, Sydney, Jakarta, Capetown




R&D SITES: Sydney, Paris, Bangkok, Chennai




SALES OFFICES: Florida, Paris, Sydney, London, Chennai, Singapore, Kuala Lumpur, Bangkok, Montreal, Hong Kong, Dubai,



DISTRIBUTION WAREHOUSES: Paris, Dubai, Singapore, Sydney, Bangkok, London, Mumbai, Chennai, Florida, Johannesburg, Santiago, Ho Chi Minh City, Copenhagen, Moscow, Mexico City





CALLINGTON OPERATES GLOBALLY ACROSS SIX CONTINENTS AND OUR SPECIALTY PRODUCTS AND SERVICES ARE PROVIDED TO CUSTOMERS IN OVER 150 COUNTRIES



Callington Canada
+1 (321)-972-2034
canada@callington.com



Callington Thailand
+66 2440 0686
thailand@callington.com



Callington UK Ltd
+33 1 64 11 33 22
UK@callington.com



Callington Inc
+1 (321)-972-2034
americas@callington.com



Callington India
+91 44 2828 2128
india@callington.com



Callington Singapore Pte Ltd
+65 6271 0091
singapore@callington.com



Callington Malaysia
+6 013 4532989
malaysia@callington.com



Callington Philippines
+65 6271 0091
philippines@callington.com



Callington Vietnam
+65 6271 0091
vietnam@callington.com



Callington Haven Pty Ltd
+61 2 9898 2700
australia@callington.com



Callington Hong Kong
+971 (0) 4 223 0133
hongkong@callington.com



Callington Middle East
+971 (0) 4 223 0133
uae@callington.com



PSA Paris
+33 1 64 11 33 22
europe@callington.com

callington.com